NO. 9879

DEC 0 5 2006

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appellant:

Neil A. COOPER

Title:

SYSTEM FOR LOADING DEVICE-SPECIFIC CODE AND METHOD

THEREOF

App. No.:

09/904,989

Filed:

July 13, 2001

Examiner:

Diem K. CAO

Group Art Unit:

2194

Customer No.: 34456

Confirmation No.:

3444

Atty. Dkt. No.: ATI.0100820 (1376-0100820)

Mail Stop: Appeal Brief-Patents

The Board of Patent Appeal and Interferences

Commissioner for Patents

PO Box 1450

Alexandria, VA 22313-1450

BRIEF ON APPEAL

Adam D. Sheehan, Reg. No. 42,146 Attorney for Appellant LARSON NEWMAN ABEL POLANSKY & WHITE, L.L.P. (512) 439-7100 (phone) (512) 439-7199 (fax)

12/96/2006 TL0111

89999844 599441

09904989

02 FC:1402

500.00 DA

This brief contains these items under the following headings, and in the order set forth below (37 C.F.R. § 41.37(c)(1)):

TABLE OF CONTENTS

Ĭ.	REAL PARTY IN INTEREST	1				
II.	RELATED APPEALS AND INTERFERENCES					
III.	STATUS OF CLAIMS					
IV.	STATUS OF AMENDMENTS					
V.	SUMMARY OF THE CLAIMED SUBJECT MATTER					
VI.	GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL					
VII.	ARGUMENTS	6				
	A. REJECTION OF CLAIMS 1, 13, AND 31 UNDER					
	35 U.S.C. 103(a)	6				
	B. REJECTION OF CLAIMS 16 UNDER					
	35 U.S.C. 103(a)	13				
VIII.	CONCLUSION	14				
IX.	APPENDIX OF CLAIMS INVOLVED IN THE APPEAL	16				
X.	EVIDENCE APPENDIX					
XI.	RELATED PROCEEDINGS APPENDIX	19				
м.	IONITITIE A TO OTHER STORES OF THE STORES					

The final page of this brief before the beginning of the Appendix of Claims bears the attorney's signature.

I. REAL PARTY IN INTEREST (37 C.F.R. § 41.37(c)(1)(i))

The real party in interest in this appeal is ATI Technologies, Inc.

II. RELATED APPEALS AND INTERFERENCES (37 C.F.R. § 41.37(c)(1)(ii))

There are no interferences or other appeals that will directly affect, or be directly affected by, or have a bearing on the Board's decision in this appeal.

III. STATUS OF CLAIMS (37 C.F.R. § 41.37(c)(1)(iii))

A. TOTAL NUMBER OF CLAIMS IN APPLICATION

There are thirty-five (35) claims pending in the application (claims 1 and 3-36).

B. STATUS OF ALL THE CLAIMS

1. Claims pending:

Claims 1 and 3-36.

2. Claims withdrawn from consideration but not canceled:

NONE.

3. Claims allowed:

23-30.

4. Claims objected to:

8, 9, 15, 17, and 32-34.

5. Claims rejected:

Claims 1, 3-7, 10-14, 16, 18-22, 31, and 35-36 are rejected under 35 U.S.C. § 103.

6. Claims canceled:

Claim 2.

C. CLAIMS ON APPEAL

There are three (4) claims on appeal, claims 1, 13, 16, and 31.

IV. STATUS OF AMENDMENTS (37 C.F.R. § 41.37(c)(1)(iv))

There were no amendments filed subsequent to final rejection of the claims.

V. SUMMARY OF THE CLAIMED SUBJECT MATTER (37 C.F.R. § 41.37(c)(1)(v))

The following summary is provided to give the Board the ability to quickly determine where the claimed subject matter appealed herein is described in the present application and is not to limit the scope of the claimed invention.

The subject matter of independent claim 1 is directed to a method. Claim 1 recites the features of loading device-independent driver code into kernel mode memory (e.g., element 122, FIG.1), wherein the device-independent driver code forms a first portion (e.g. element 132, FIG.1) of a display driver (e.g. element 130, FIG.1, block 230, FIG. 2, and p. 8, lines 19-22). Claim 1 also recites the features of requesting a device identifier (e.g. element 167, FIG.1) after loading the device-independent driver code into kernel mode memory, wherein the requested device identifier is to identify a particular device (e.g. block 240, FIG. 2, and p. 8, lines 23-25). Additionally, the method recites the features of receiving the requested device identifier associated with a particular device (e.g. p. 8, lines 25-26). Claim 1 further recites the features of identifying a particular device-specific driver portion (e.g. element 144, FIG. 1) from a plurality of driver portions associated with the device identifier (e.g. block 250, FIG. 2, and p. 8, line 26 – p. 9, line 1). In addition, claim 1 recites the features of loading the particular device-specific

driver portion into kernel mode memory, wherein the device-specific driver portion forms a second portion of the display driver (e.g. element 134, FIG. 1, block 280, FIG. 2, and p. 9, lines 9-11).

The subject matter of independent claim 13 is directed to a method. Claim 13 recites the features of providing a set of device-independent functions (e.g. element 132, FIG.1), wherein the device-independent functions are capable of manipulating a processor (e.g. element 110, FIG.1) to support a plurality of different display devices (e.g. block 420, FIG. 4, p. 11, lines 9-12). Claim 13 also recites the features of providing a plurality of device-specific driver portions (e.g., elements 144 and 146, FIG. 1), wherein each device-specific driver portion of the plurality of device-specific driver portions include functions capable of manipulating a processor to support only a portion of the plurality of different display devices (e.g. block 440, FIG. 4, p. 11, lines 17-19). Claim 13 additionally recites the features of providing a first function to manipulate a processor to load one or more device-independent functions (e.g. element 134, FIG. 1) of the set of device-independent functions into kernel mode memory (e.g. block 470, FIG. 4, p. 11, line 26 - p. 12, line 6). Claim 13 further recites the features of providing a second function to manipulate a processor to request for a device identifier (e.g. element 167, FIG. 1) after the one or more device-independent functions are loaded into kernel mode memory, wherein the device identifier is capable of identifying a particular display device of the plurality of different display devices (e.g. block 470, FIG. 4, p. 11, line 26 - p. 12, line 6). In addition, claim 13 recites the features of providing a third function to manipulate a processor to load a particular device-specific driver portion into kernel mode memory, wherein the particular devicespecific driver portion is associated with the particular display device of the plurality of different display devices. (e.g. block 470, FIG.4, p. 11, line 26 - p. 12, line 6).

Independent claim 31 is a device claim. Claim 31 recites the features of computer readable medium tangibly embodying a plurality of programs of instructions, including a set of device-independent functions to manipulate a processor (e.g. element 110, FIG. 1) to support a plurality of different display devices (e.g. element 160, FIG. 1, block 420, FIG. 4, p. 11, lines 9-12). Claim 31 further recites the features of a plurality of device-specific driver portions, wherein each device-specific driver portion of the plurality of device-specific driver portions includes functions to manipulate a processor to support only a portion of the plurality of different display devices (e.g. block 440, FIG. 4, p. 11, lines 17-19). Claim 31 also recites the features of a first function to manipulate a processor to load one or more device-independent functions (e.g. element 132, FIG. 1) of the set of device-independent functions into kernel mode memory (e.g. block 440, FIG. 4, p. 11, lines 18-21). Claim 31 additionally recites the features of a second function to manipulate a processor to request a device identifier (e.g. element 167, FIG. 1) after the one or more device-independent functions of the set of device-independent functions into kernel mode memory, wherein the device identifier is capable of identifying a particular display device of the plurality of different display devices (e.g. block 460, FIG. 4, p. 11, lines 25-27). Claim 31 further recites the features of a third function to manipulate a processor to load a particular device-specific driver portion (e.g., element 134, FIG. 1) into kernel mode memory, wherein the particular device-specific driver portion is associated with the particular display device of the plurality of different display devices (e.g. block 470, p. 11, line 26 - p. 12, line 6).

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL (37 C.F.R. § 41.37(c)(1)(vi))

Claims 1, 13, and 31 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Bondy et al. (U.S. Patent No. 5,491,813) (hereinafter "the Bondy reference") in view of Keller et al. (U.S. Patent No. 5,752,032) (hereinafter "the Keller reference") and further in view

of Schoening et al. (U.S. Patent No. 6,226,788) (hereinafter "the Schoening reference") as set forth in the Final Office Action dated June 5, 2006 (hereinafter, "the Final Action") and the subsequent Advisory Action dated August 8, 2006 (hereinafter, "the Advisory Action").

B. Claim 16 is rejected under 35 U.S.C. § 103(a) as being unpatentable over the *Bondy* reference in view of the *Keller* reference. further in view of *Shirakabe* et al. (U.S. Patent No. 5,136,709 (hereinafter "the *Shirakabe* reference") as set forth in the Final Action and the subsequent Advisory Action.

VII. ARGUMENTS (37 C.F.R. § 41.37(c)(1)(vii))

Based on the arguments and issues below, none of the claims stand or fall together, because in addition to having different scopes, each of the independent claims has a unique set of issues relating to its rejection and appeal as indicated in the arguments below:

A. Rejection of Claims 1, 13, and 31 under 35 U.S.C. § 103 (37 C.F.R. §1.192(c)(8)(iv)):

On page 2 of the Final Action, claims 1, 13, and 31 were rejected under 35 U.S.C. § 103(a) as unpatentable over the *Bondy* reference in view of the *Keller* reference and further in view of the *Schoening* reference. Claims 1, 13 and 31 are reproduced below for ease of reference.

- 1. (Previously Presented) A method comprising:
- loading device-independent driver code into kernel mode memory, wherein the deviceindependent driver code forms a first portion of a display driver;
- requesting a device identifier after loading the device-independent driver code into kernel mode memory, wherein the requested device identifier is to identify a particular device:
- receiving the requested device identifier associated with a particular device;
- identifying a particular device-specific driver portion from a plurality of driver portions associated with the device identifier; and
- loading the particular device-specific driver portion into kernel mode memory, wherein the device-specific driver portion forms a second portion of the display driver.

DEC. 5. 2006 3:51PM

- 13. (Previously Presented) A method comprising:
- providing a set of device-independent functions, wherein the device-independent functions are capable of manipulating a processor to support a plurality of different display devices;
- providing a plurality of device-specific driver portions, wherein each device-specific driver portion of the plurality of device-specific driver portions include functions capable of manipulating a processor to support only a portion of the plurality of different display devices;
- providing a first function to manipulate a processor to load one or more deviceindependent functions of the set of device-independent functions into kernel mode memory;
- providing a second function to manipulate a processor to request for a device identifier after the one or more device-independent functions are loaded into kernel mode memory, wherein the device identifier is capable of identifying a particular display device of the plurality of different display devices; and
- providing a third function to manipulate a processor to load a particular device-specific driver portion into kernel mode memory, wherein the particular device-specific driver portion is associated with the particular display device of the plurality of different display devices.
- 31. (Previously Presented) A computer readable medium tangibly embodying a plurality of programs of instructions, the plurality of programs including:
 - a set of device-independent functions to manipulate a processor to support a plurality of different display devices;
 - a plurality of device-specific driver portions, wherein each device-specific driver portion of the plurality of device-specific driver portions includes functions to manipulate a processor to support only a portion of the plurality of different display devices;
 - a first function to manipulate a processor to load one or more device-independent functions of the set of device-independent functions into kernel mode memory;
 - a second function to manipulate a processor to request a device identifier after the one or more device-independent functions of the set of device-independent functions into kernel mode memory, wherein the device identifier is capable of identifying a particular display device of the plurality of different display devices; and
 - a third function to manipulate a processor to load a particular device-specific driver portion into kernel mode memory, wherein the particular device-specific driver portion is associated with the particular display device of the plurality of different display devices.

According to 35 U.S.C. § 103(a), "[a] patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art of such that the subject matter

as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains."

In ex parte examination of patent applications, the Patent Office bears the burden of establishing a prima facie case of obviousness. In re Fritch, 972 F.2d 1260,1262,23 U.S.P.Q. 2d 1780, 1783 (Fed. Cir. 1992). The initial burden of establishing a prima facie basis to deny patentability to a claimed invention is always upon the Patent Office. In re Oetiker, 977 F.2d 1443, 1445, 24 U.S.P.Q.2d 1443, 1444 (Fed. Cir. 1992); In re Piasecki, 745 F.2d 1468, 1472, 223 U.S.P.Q. 785, 788 (Fed. Cir. 1984). Only when a prima facie case of obviousness is established does the burden shift to the applicant to produce evidence of nonobviousness. In re Oetiker, 977 F.2d 1443, 1445, 24 U.S.P.Q.2d 1443, 1444 (Fed. Cir. 1992); In re Rijckaert, 9 F.3d 1531, 1532, 28 U.S.P.Q.2d 1955, 1956 (Fed. Cir. 1993). If the Patent Office does not produce a prima facie case of unpatentability, then without more the applicant is entitled to grant of a patent. In re Oetiker, 977 F.2d 1443, 1445, 24 U.S.P.O.2d 1443, 1444 (Fed. Cir. 1992); In re Grabiak, 769 F.2d 729, 733, 226 U.S.P.Q. 870, 873 (Fed. Cir. 1985).

A prima facie case of obviousness is established when the teachings of the prior art itself suggest the claimed subject matter to a person of ordinary skill in the art. In re Bell, 991 F.2d 781, 783, 26 U.S.P.Q.2d 1529, 1531 (Fed. Cir. 1993). To establish a prima facie case of obviousness, three basic criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Finally, the prior art reference (or references when combined) must teach or suggest all the claim limitations. The teaching or suggestion to make

the claimed invention and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure.

The Final Action asserts that the proposed combination of the *Bondy* reference, the *Keller* reference, and the *Schoening* reference disclose the claimed invention as recited by claims 1, 13, and 31. The Appellant disagrees and submits that the proposed combination of the *Bondy* reference, the *Keller* reference, and the *Schoening* reference fails to disclose or suggest each and every limitation recited by claims 1, 13, and 31. The Final Action admits at page 4 and 5 that the *Bondy* reference and the *Keller* reference fail to disclose or suggest "device driver management, including locating a name associated with the device-specific driver portion in a table using the device identifier (device type value)" and relies on the *Schoening* reference to disclose these features. However, as explained below, the *Schoening* reference in fact fails to disclose or suggest those elements of claims 1, 13, and 31 lacking in the *Bondy* reference and the *Keller* reference.

1) The Schoening Reference Fails To Disclose Identifying A Particular Device-Specific Driver Portion

Claim 1 recites, in part, the limitations of identifying a particular device-specific driver portion from a plurality of driver portions associated with the device identifier based on a comparison of versions associated with functions of the device-specific driver portion to versions expected through an application program interface. The Appellant submits that the *Schoening* reference fails to disclose or suggest identifying a device specific driver portion based on a comparison of versions associated with functions of the device specific driver portion to versions expected through an application program interface as recited in claim 1.

With regard to these limitations, the Final Action asserts that the device mapping table (e.g. the Device Mapper 1214) of the Schoening reference identifies device-specific driver based on a comparison of versions associated with functions of the device-specific driver portion to versions expected through an application program interface. Final Action, p. 4. However, the Appellant submits that the Schoening reference fails to disclose or suggest identifying device specific driver portions, much less identifying device-specific driver based on a comparison of versions associated with functions of the device-specific driver portion to versions expected through an application program interface as alleged by the Final Action. Instead, the Schoening reference discloses identifying functions of an application program interface to be overtidden.

In particular, the Schoening reference discloses a "Device Mapper",

As shown in FIG. 2C, a Device Mapper 1214 is associated with each device 102 or device type. Each Device Mapper 1214 is associated with a list 216 of overridden functions. Each entry in the list 216 identifies a Service Module Function 76a-76n that is overridden by the Device Mapper 1214 for its associated device or device type. Each Device Mapper 1214 is also associated with a list 1218 of identifiers of devices that are managed by the Device Mapper.

The Schoening reference, col. 13, lines 59-66. Accordingly, the Device Mapper is a table associated with a device or device type in a network that identifies Service Module Functions that are overridden for the associated device or device type. Id. The Service Module Functions identified by the Device Mapper are "overridden functions of a service module." Id. at col. 6, lines 64-65. Further, a service module is "a set of classes derived from the FrameWork and FrontEnd packages that define the API, data model, database, and abstract functions that implement network device services." Id. at col. 6, lines 60-63 (emphasis added). The FrameWork disclosed in the Schoening reference "means the set of classes, in an object-oriented computer programming language, and services from which the organization and structure of a

Service module is derived. In particular, a FrameWork defines the structure of an API and internal dispatch mechanisms." Id., col. 6, lines 42-46 (emphasis added).

In addition, the Schoening reference indicates

The Handle Versions method 358 provides a mechanism to locate a Device Mapper based not only on OID but also on a version identifier. In standard MIB variables, software version information is not included. Therefore, a separate mechanism is required to enable the ANI 50 to match a particular version of hardware, software, or firmware of a device 102 to a Device Mapper. Preferably, entries in a Device Mapper may include information that specifies a range of versions over to which the Device Mapper applies. For example, the entries may provide version brackets indicating that a particular Device Mapper is chosen only within a particular range of versions, or from a particular version and all subsequent versions, etc.

Id. at col. 17, lines 16-28. Thus, the system disclosed in the Schoening reference can determine which Device Mapper applies for a particular device version.

Accordingly, the Device Mapper of the Schoening reference identifies, for a particular device version a set of overridden functions of a set of classes that define an application program interface (API). The set of classes is derived from a framework that defines the structure of the API. Thus, the Schoening reference discloses disabling certain functions of a device by overriding functions of a set of classes associated with the device from an application program interface. There is no disclosure or suggestion in the Schoening reference that the set of classes, or their functions, are device-specific driver portions for at least the reason that the Schoening reference fails to teach that they are used to control the operation of a specific peripheral device in any manner. Instead, the Schoening reference states that the set of classes "define the API, data model, database, and abstract functions that implement network device services." Id. at col. 6, lines 60-63 (emphasis added). Accordingly, the Device Mapper identifies portions of an API and associated abstract functions of network device services, rather than device specific driver

portions. One of skill in the art will appreciate that an API is an interface between application programs and an operating system, while a driver portion control functions of a device. Accordingly, the Device Mapper does not identify device-specific driver portions, but instead portions of an interface between application programs and an operating system. Therefore, the Schoening reference fails to disclose or suggest identifying a particular device-specific driver portion from a plurality of driver portions associated with the device identifier based on a comparison of versions associated with functions of the device-specific driver portion to versions expected through an application program interface as recited in claim 1.

2) The Proposed Combination of the Bondy, Keller and Schoening
References Does Not Disclose or Suggest Each and Every Limitation of
the Claims Under Appeal

As noted above, the Schoening reference fails to disclose or suggest identifying a particular device-specific driver portion from a plurality of driver portions associated with the device identifier based on a comparison of versions associated with functions of the device-specific driver portion to versions expected through an application program interface, as recited in claim 1.

With respect to claim 13, the claim recites providing a third function to manipulate a processor to load a particular device-specific driver portion into kernel mode memory, wherein the particular device-specific driver portion is associated with the particular display device of the plurality of different display devices. As explained above, the *Schoening* reference fails to disclose or suggest identifying or loading device-specific driver portions, as recited in claim 13

With respect to claim 31, the claim recites a third function to manipulate a processor to load a particular device-specific driver portion into kernel mode memory, wherein the particular device-specific driver portion is associated with the particular display device of the plurality of

different display devices. As explained above the *Schoening* reference fails to disclose or suggest identifying or loading device-specific driver portions. a plurality of device-specific driver portions, wherein each device-specific driver portion of the plurality of device-specific driver portions includes functions to manipulate a processor to support only a portion of the plurality of different display devices as recited in claim 31.

Further, as admitted in the Final Office Action at page 4, the *Keller* reference and the *Bondy* reference fail to disclose "device driver management" including the limitations of claims 1, 13, and 31 that are lacking in the Schoening reference. As such, the proposed combination of the cited references fails to disclose or suggest each and every limitation of claims 1, 13, and 31 and the Final Action therefore has failed to establish that the proposed combination of the cite references discloses or suggests each and every claim depending from claims 1, 13, or 31 at least by virtue of this dependency.

B. Rejection of Claims 16 under 35 U.S.C. § 103 (37 C.F.R. §1.192(c)(8)(iv)):

On page 6 of the Final Action, claim 16 was rejected under 35 U.S.C. § 103(a) as unpatentable over the *Bondy* reference in view of the *Keller* reference and further in view of the *Shirakabe* reference. Claim 16 depends from claim 13, and thus includes all the limitations of claim 13. However, in order to reject claim 13, the Final Action relied upon the *Schoening* reference, which is not relied upon to reject claim 16. Accordingly, by its own terms, the Final Action should rely upon the *Schoening* reference to support a prima facie case of obviousness as to claim 16. However, as pointed out above the Final Action does not in fact rely upon the *Schoening* reference to reject claim 16. Accordingly, the Final Action by its own terms fails to show that each and every element of claim 16 is disclosed or suggested by the *Bondy*, *Keller*, or

Shirakabe references. The Final Action therefore fails to establish a prima facie case of obviousness in support of its rejection of claim 16.

VIII. CONCLUSION

For the reasons given above, the Appellant respectfully requests reconsideration and allowance of all claims and that this patent application be passed to issue.

Respectfully submitted,

Adam D. Sheehan, Reg. No. 42,146

Attorney for Appellant LARSON NEWMAN ABEL POLANSKY & WHITE, L.L.P.

(512) 439-7100 (phone) (512) 439-7199 (fax)

IX. APPENDIX OF CLAIMS INVOLVED IN THE APPEAL (37 C.F.R. § 41.37(c)(1)(viii))

The text of each claim involved in the appeal is as follows:

- 1. (Previously Presented) A method comprising:
- loading device-independent driver code into kernel mode memory, wherein the deviceindependent driver code forms a first portion of a display driver;
- requesting a device identifier after loading the device-independent driver code into kernel mode memory, wherein the requested device identifier is to identify a particular device;
- receiving the requested device identifier associated with a particular device;
- identifying a particular device-specific driver portion from a plurality of driver portions associated with the device identifier, and
- loading the particular device-specific driver portion into kernel mode memory, wherein the device-specific driver portion forms a second portion of the display driver.
- 13. (Previously Presented) A method comprising:
- providing a set of device-independent functions, wherein the device-independent functions are capable of manipulating a processor to support a plurality of different display devices;
- providing a plurality of device-specific driver portions, wherein each device-specific driver portion of the plurality of device-specific driver portions include functions capable of manipulating a processor to support only a portion of the plurality of different display devices;
- providing a first function to manipulate a processor to load one or more deviceindependent functions of the set of device-independent functions into kernel mode memory;
- providing a second function to manipulate a processor to request for a device identifier after the one or more device-independent functions are loaded into kernel mode memory, wherein the device identifier is capable of identifying a particular display device of the plurality of different display devices; and
- providing a third function to manipulate a processor to load a particular device-specific driver portion into kernel mode memory, wherein the particular device-specific driver portion is associated with the particular display device of the plurality of different display devices.
- 16. (Previously Presented) The method as in Claim 13, further including providing a fourth function to determine addresses associated with functions of the particular device-specific driver portion, after providing the third function.

- 31. (Previously Presented) A computer readable medium tangibly embodying a plurality of programs of instructions, the plurality of programs including:
 - a set of device-independent functions to manipulate a processor to support a plurality of different display devices;
 - a plurality of device-specific driver portions, wherein each device-specific driver portion of the plurality of device-specific driver portions includes functions to manipulate a processor to support only a portion of the plurality of different display devices;
 - a first function to manipulate a processor to load one or more device-independent functions of the set of device-independent functions into kernel mode memory;
 - a second function to manipulate a processor to request a device identifier after the one or more device-independent functions of the set of device-independent functions into kernel mode memory, wherein the device identifier is capable of identifying a particular display device of the plurality of different display devices; and
 - a third function to manipulate a processor to load a particular device-specific driver portion into kernel mode memory, wherein the particular device-specific driver portion is associated with the particular display device of the plurality of different display devices.
- 32. (Original) The computer readable medium as in Claim 31, wherein the second function includes a call to an EngLoadImage function.
- 33. (Original) The computer readable medium as in Claim 32, further including a third function to determine addresses associated with functions of the particular device-specific driver portion.
- 34. (Original) The computer readable medium as in Claim 33, wherein the third function includes a function call to an EngFindImageProcAddress function.
- 35. (Original) The computer readable medium as in Claim 31, wherein the device identifier includes an application specific integrated circuit identifier.
- 36. (Original) The computer readable medium as in Claim 31, further including a table linking device identifiers to individual device-specific driver portions of the plurality of device-specific driver portions.

X. EVIDENCE APPENDIX (37 C.F.R. § 41.37(c)(1)(ix))

None.

XI. RELATED PROCEEDINGS APPENDIX (37 C.F.R. § 41.37(c)(1)(x))

None.

DEC. 5. 2006 3:54PM

DEC 0 5 2006

PTO/SB/17 (12-04v2)

Approved for use through 07/31/2005. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE to a collection of Information unless it displays a valid OMB control number.

Under the Panerwork Reduction	Apror 1995	O Deiscurs are recurred to	(Alto) Inter to A talk of	Onnulado	if Known			
Effective)4. nas Act. 2005 (H.R. 4818).	Complete if Known						
FEE TRANSMITTAL			rippilodaetrituitie		09/904,989			
			Filing Date		July 13, 2001			
For	05	First Named Inven		Neil A. Cooper				
D seelloont drive small or	See 37 CFR 1.27	Examiner Name		Diem K. Cao				
Applicant claims small entity status. See 37 CFR 1.27 TOTAL AMOUNT OF PAYMENT (\$) 500.00			Art Unit	2194				
TOTAL AMOUNT OF PAYM	500.00	Attorney Docket N	o. ATI.0100	ATI.0100820 (1376-0100820)				
METHOD OF PAYMENT (check all that apply)								
Check Credit Card Money Order None Other (please identify):								
Deposit Account Deposit Account Number: 50-0441 Deposit Account Name: ATI Technologies, Inc.								
Deposit Account Deposit Account Number: 50-04-1 Deposit Number: 50-04-1 Deposit Number: 50-04-1 Deposit Number: 50-04-1 Depo								
<u> </u>								
Charge eny additional fee(s) or underpayments of fee(s) Credit any overpayments under 37 CFR 1.16 and 1.17								
under 37 CFR 1.16 and 1.17 WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.								
FEE CALCULATION			^					
1. BASIC FILING, SEARC	H. AND E	XAMINATION FEES	5					
1. DAGIOTIENTO, CEPTO	FILING F	EES SE/	ARCH FELS	EXAMINATION Small				
Application Type	<u>Si</u> Fee (\$)	nall Entity Fee (\$) Fee	Small Entity (\$) Fee (\$)	Fee (\$) Fee				
Utility	300	150 50		200 10	0			
Design	200	100 10	0 50	130 6	5			
Plant	200	100 30	0 150	160 8	0			
Reissue	300	150 50		600 . 30	0			
	200		0 0	0 :	0			
Small Entity								
Fee Description				E	ee (\$) <u>Fee (\$)</u> 50 25			
Each claim over 20 (in	cluding Re	eissues)	•		200 100			
Each independent clair		ncluding Koissues)			360 180			
Multiple dependent cla Total Claims	M	ultiple Dependent Claims						
20 or HP =	Extra Claim	. x .=_	Fee Paid (5)	5	Fee (\$) Fee Pald (\$)			
HP = highest number of total of	dalms peid for	r, if greater than 20. IS Fee (\$)	ee Paid (\$)	-				
- 3 or HP =	Extra Clain	<u></u>		ê				
HP = highest number of indepo		paid for, if greater than 3.		•				
3. APPLICATION SIZE FEE								
listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each admitted at 50								
sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 Cr. 1.10(5).								
Total Sheets Extra Sheets Number of each adulation as a Made number of								
- 100 = /50 = (round up to a whole number) \(\times \) Fees Paid (\$)								
Non-English Specification, \$130 fee (no small entity discount)								
Other (e.g., late filing surcharge): Appeal Brief								
SUBMITTED BY			Registration No. 39	9.263	Telephone 512-439-7100			
	w 2		(Attorney/Agent) 3	-,	Date 12-5-96			
Name (Print/Type) J. Gustav	Larson				12-2-2			

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, use the complete description form to the USPTO. Time will vary depending upon the individual case. Any comments including gathering, preparing, and submitting the complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-300-PTO-9199 and select option 2.